



DP

DEFLEKTOR PRAVOKOTNI DEFLECTOR RECTANGULAR

OPIS:

Strešni element za vertikalni odvod zraka, s pravokotnim priklopom na prezračevalni kanal, z zaščitno mrežo 13x13 mm in odprtinami ter cevko za odvod vode.

MATERIAL:

- pocinkana pločevina
- nerjaveča pločevina INOX AISI 304
- nerjaveča pločevina INOX AISI 316L

BARVA:


na željo kupca poljubna barva po RAL lestvici

MONTAŽA:

- brez prirobnice direktno na prezračevalni kanal
- s prirobnico

DIMENZIJE:

Dimenzije A, B in H1 so poljubni.
Maksimalna dimenzija A x B je 1200x2400 mm



DESCRIPTION:

Roof element for vertical air extraction, with rectangular connection to the ventilation duct, with 13x13 mm mesh and drainage pipe and holes.

MATERIAL:

- galvanized sheet metal
- stainless steel sheet metal INOX AISI 304
- stainless steel sheet metal INOX AISI 316L

FINISH:


any RAL colour according to the customer's request.

INSTALLATION:

- fitting to a ventilation duct without flange
- with flange




DIMENSIONS:

Dimensions A, B and H1 are optional.
The maximum dimension A x B is 1200x2400 mm



DODATKI in OPCIJE / ACCESSORIES and OPTIONS:**BP - PRIROBNICA / FLANGE:**

velikost / size	a	b	t
$A+B \leq 800$	7	35	3
$800 < A+B \leq 1800$	9,5	45	4
$1800 < A+B \leq 2400$	11,5	50	5
$A+B > 2400$	11,5	50	6

**H1=... podaljšan kanal / extended duct****ISO 6** proti kondenzacijsko izoliran kanal
condensation-proof insulated duct**H1=... podaljšan kanal / extended duct****ISO 50** proti kondenzacijsko in zvočno izoliran kanal
condensation-proof and acoustically insulated duct

NAČIN NAROČANJA / HOW TO ORDER:

DP	600 x1200	H1=100	ZN	BP	/	/
						barva / colour
					izolacija / insulation	
					ISO 6 proti kondenzacijska	
					anti-condensation	
					ISO 50 proti kondenzacijska in zvočna	
					acoustic and anti-condensation	
				/ brez prirobnice / without flange		
				BP s prirobnico / with a flange		
			material			
			ZN			
			INOX AISI 304			
			INOX AISI 316L			
		dolžina kanala / length of the duct				
		standard H1=100				
		poljubno / optional H1=...				
	dimenzija / dimension					
	poljubno / optional					
tip deflektorja / diffuser type						